

NOTICE TO BIDDER

BID NO 06-2015

Metal Building 60' x 100'  
Hawley Fire Department

Bids will be received until 4:30, Friday, March 20, 2015 at the Grant County Courthouse, 112 E. Guthrie, Room 102 Medford, Oklahoma, 73759 and will be opened Monday, March 23, 2015 2014 during regular Board of Commissioner meeting.

MAIN BUILDING – 60X100' WITH RIDGE CAP TO ALIGN WITH ORIGINAL STRUCTURE. CLEAR SPAN STEEL BUILDING W/ FOUR 25" BAYS – EXTERIOR 26GA COLORED SHEETING ON SIDEWALL & ROOF TO MATCH ORIGINAL BUILDING.

The Board of Commissioners reserves the right to reject any or all bids.

The Bidders shall submit their bid on the official proposal form furnished. The bid envelope shall be clearly marked "SEALED BID 06-2015" with closing date and time. Affidavit of Non Conviction form must be signed, notarized and returned with the bid or the bid will be rejected.

Dated: March 3, 2015

Board of County Commissioners  
Grant County, Oklahoma

\_\_\_\_\_  
Chairman

\_\_\_\_\_  
Vice Chairman

\_\_\_\_\_  
Member

ATTEST:

\_\_\_\_\_  
County Clerk

**GRANT COUNTY OKLAHOMA**  
**COUNTY PURCHASING OFFICE**  
**GRANT COUNTY COURTHOUSE**  
**112 E GUTHRIE, ROM 102**  
**MEDFORD, OK 73759**  
**580.395.2274**

**INVITATION TO BID**

NOTARIZED AFFIDAVIT COMPLETION AND SIGNATURES REQUIRED:

DATE ISSUED: March 2, 2015

BID NUMBER: **06-2015 Hawley FD Metal Building 60 x 100'**

BID CLOSING DATE & HOUR: March 20, 2015 at 4:30 pm

BID OPENING DATE & HOUR: March 23, 2015

TERMS AND CONDITIONS:

1. All bids will be opened in the Grant County Commissioners Board Room, Grant County Courthouse, Medford, Oklahoma, at the time and date shown on this Invitation to Bid.
2. Late bids will not be considered. Bids must be received in a sealed envelope (one bid per Envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. All prices bid shall be F.O.B. Grant County Hawley FD. Hawley, Oklahoma unless otherwise indicated.
5. Purchases by Grant County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer, and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma law requires each bidder submitting a bid to a County for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied.

**SPECIFICATIONS:**

**MAIN BUILDING – 60X100' WITH RIDGE CAP TO ALIGN WITH ORIGINAL STRUCTURE. CLEAR SPAN STEEL BUILDING W/ FOUR 25" BAYS – EXTERIOR 26GA COLORED SHEETING ON SIDEWALL & ROOF TO MATCH ORIGINAL BUILDING. See attached list.**

Address further inquiries to Jeff Bollman 580.532.5224 or 580.839.2529

Grant County reserves the right to award this bid in part or in whole.

Grant County reserves the right to reject any and all bids.

The Board of County Commissioners reserves the right to waive minor technicalities under these specifications.

Vendor: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_  
F.E. I or Social Security

\_\_\_\_\_  
E-Mail address:

Return Competed bid to: Grant County Purchasing Agent  
112 E Guthrie, Room 102  
Medford OK 73759

**AFFIDAVIT OF NON-CONVICTION**

STATE OF OKLAHOMA )  
 ) ss:  
GRANT COUNTY )

\_\_\_\_\_, of lawful age, being first duly sworn on oath, state that he/she is the agent authorized by \_\_\_\_\_, whose principal place of business is located at \_\_\_\_\_, to submit the attached bid.

AFFIDAVIT further states that neither he/she, nor the bidder, nor any officer or employee of the bidder has been convicted of or pled guilty or nolo contendere to any felony arising out of sales of real or personal property to the State of Oklahoma or any of its political subdivisions.

AFFIDAVIT further states that neither he/she, or the bidder nor any officer or employee of the bidder nor any person including but not limited to stockholders holding 20% or more of the outstanding stock, partners, either limited or general or any person related either by convicted of, pled guilty or nolo contendere to any acts prohibited by Title 51 OSA 24.5 as interpreted by the Attorney General’s Opinion No. 83-144, a copy of which is attached hereto.

**AFFIDAVIT FOR PAYMENTS IN EXCESS OF \$25,000.00**

STATE OF OKLHAOMA )  
 ) SS:  
GRANT COUNTY )

The undersigned (architect, contractor, supplier or engineer) of lawful age, being duly sworn on oath says that this invoice or claim is true and correct. Affiant further states that the work, services or materials as shown by this invoice of claim have been complete or supplied in accordance with the plans, specifications, orders or requests furnished by the affiant. Affiant further states that he/she has made not payment directly or indirectly to any elected official, officer or employee of the State of Oklahoma, any county or local subdivision of the State, or money or any other thing of value to obtain payment of the invoice or procure the contact or purchase order pursuant to which an invoice is required.

BY \_\_\_\_\_

Subscribed and sworn to before me this \_\_\_\_ day of \_\_\_\_\_, 20\_\_.

\_\_\_\_\_  
Notary Public

My Commissioner Number \_\_\_\_\_ & Expiration Date \_\_\_\_\_.

Note: 62 OS Sec 310.9 (A&B), require counties executing contracts with an architect, contractor, engineer or supplier of materials of Twenty-five thousand dollars (\$25,000.00) or more to complete the statement required by Section 3109 of Title 74.

**AFFIDAVIT FOR PAYMENTS IN EXCESS OF \$25,000.00**

STATE OF OKLAHOMA )  
 ) SS:  
GRANT COUNTY )

The undersigned (architect, contractor, supplier or engineer) of lawful age, being duly sworn on oath says that this invoice or claim is true and correct. Affiant further states that the work, services or materials as shown by this invoice of claim have been complete or supplied in accordance with the plans, specifications, orders or requests furnished by the affiant. Affiant further states that he/she has made not payment directly or indirectly to any elected official, officer or employee of the State of Oklahoma, any county or local subdivision of the State, or money or any other thing of value to obtain payment of the invoice or procure the contract or purchase order pursuant to which an invoice is required.

\_\_\_\_\_  
BUSINESS NAME

BY \_\_\_\_\_

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

\_\_\_\_\_  
Notary Public

My Commission Number \_\_\_\_\_ & Expiration \_\_\_\_\_.

NOTE: 62 O.S. 1999, Sec 310.9B, authorizes counties executing more than one contract, exceeding \$1,000.00 during the fiscal year, with an architect, contractor, supplier or engineer to accept one affidavit applying to all work, services or materials completed or supplied under the terms of awarded contracts, or which are needed on the continual basis; such affidavit to be in lieu of all individual affidavits for each invoice submitted in relation to such contract.

GRANT COUNTY, OKLAHOMA  
SEALED BID SUBMISSION FORM  
FOR

HAWLEY FD 60X100; METAL BUILDING

BID NUMBER 06-2015

This sealed bid includes the following minimum specifications requested by buyer and any additional cost if not included in original cost:

1. \_\_\_\_\_ \$ \_\_\_\_\_
2. \_\_\_\_\_ \$ \_\_\_\_\_
3. \_\_\_\_\_ \$ \_\_\_\_\_
4. \_\_\_\_\_ \$ \_\_\_\_\_
5. \_\_\_\_\_ \$ \_\_\_\_\_

All for the sum of \$ \_\_\_\_\_.(including freight and delivery)

Delivery Date: \_\_\_\_\_

AFFIDAVIT: I, the undersigned, of lawful ate, being first duly sworn on oath say that he/she is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity, quality or price in the prospective contract or any terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the aware of a contract pursuant to this bid.

Bidder's Name: \_\_\_\_\_

Bidder's Address: \_\_\_\_\_

Contact person: \_\_\_\_\_

Signature & Title; \_\_\_\_\_

Bidder's Phone & Fax: \_\_\_\_\_

E Mail Address: \_\_\_\_\_

Location of nearest service center: \_\_\_\_\_

Buyer requested billing address: \_\_\_\_\_

\_\_\_\_\_

PROOF OF MAILING

The companies listed below were sent a copy of Bid 29-2013, either by US Mail, E-mail or Fax.

FLATWORKS SPECIALIST, LLC  
PO BOX 265  
CUNNINGHAM KS 67035  
316.295.9794 SCHALLER2134@GMAIL.COM

NIDOMA INC  
8713 NW 107<sup>TH</sup> ST  
OKLAHOMA CITY OK 73162  
405.826.7416 DONNICKEL@PRODIGY.NET

GONZALES WELDING & CONSTRUCTION INC  
405 S HWY 81  
MEDFORD OK 73759  
580.395.2490 GONZALESINFO@YAHOO.COM

MPC STEEL BUILDING LLC  
1361 FARM ROAD 2117  
PURDY MO 65734  
417.652.3297 MPCSTEELBUILDINGS@GMAIL.COM

\_\_\_\_\_  
Date \_\_\_\_\_  
Sherri Eulberg, County Clerk

## BID SPECIFICATIONS SHEET FOR HAWLEY FIRE DEPARTMENT BUILDING

### Building description

Main building – 60 x 100 with ridge cap to align with original structure. Clear span steel building with 4 – 25' bays with i-beam main frames. Cold rolled z-iron for purlins and girts.

Exterior – 26 ga colored sheeting on sidewall and roof – color matched to original building.

Roof live load – 20 PSF

Roof snow load – 20 PSF

Wind speed – 90 MPH

Roof pitch – 1/12

3-3' x 7' steel walk-in doors with closures installed

Gutters & downspouts & trim matched to original building

Liner panel – girts at 4' behind linear panels

4-14' x 14' front sidewall frame openings

3-14' x 14' back sidewall framed openings

2 – 12' door jams, sheeting, and trim to fix original building

Bathroom – 10'x 10' handicap accessible with toilet, urinal, sink, lighting, exhaust fan, and safety rails. All built to ADA standards and certifications.

### Concrete

6" slab for 60 x 100 building – 4000# with fiber, 1/2" rebar on 20" grid

Footings – 24" deep, 9" wide, and 2 runs of 1/2" rebar

Piers – 4' deep, 32" around 1/2" rebar cage

16 posts for outside of door jams on new building. 10 posts for outside of door jams on original building

30 x 100 concrete approach on south side – 6" thick 4000# with fiber, ½" rebar on 20" grid.

30 x 100 concrete approach on north side – 6" thick 4000# with fiber, ½" rebar on 20" grid.

75' of floor drain with bar grating 12" deep & 12" wide

#### Doors

7 – 14' x 14' insulated overhead doors, installed with minimum of 3" roller and track

1 – 10' x 10' non-insulated overhead door, installed with minimum of 3" roller and track

7 – 14' openers, installed with 3 button remotes & outside key pads

1 – 10' opener, installed

#### Spray foam insulation

2" closed cell spray foam insulation painted white

#### Electrical

16 - T5 HO 6 lamp fixtures to be switched at north and south walk-in doors east overhead door

4 - 120 v 20 amp outlets on east wall (2 for fridge/freezer, 2 for general)

8 - 120 v 20 amp quad outlets in each bay north and south

3 - 120 v 20 amp quad outlets on west wall

3 - 120 v 20 amp quad outlets with cord drops on main beams center of building

3 - 240 v 50 amp single phase outlets on center of north, south, and west walls

5 - 120 v 20 amp outdoor outlets with in-use covers for 1 on west, 2 on north, and 2 on south walls outside

Install 8 customer provided lights on outside of building with each one on a switch

Install power to generator and ATS equipment provided by customer

9 - Install power to overhead doors (controls to be installed by door installer)

3 - Install dusk till dawn lights with photo cell control on north, south, and west walls

2 - Install 2 – 1 ¼" gray PVC conduits (spare) from new panel to the start of the old shop

Install 3 ph power to new A/C unit on west wall outside



Power of air compressor (location to be determined)

Install 400 service rack within 15' of service pole with provided ATS, 200 amp 3 ph disconnect, and 200 amp single ph panel with feed thru lugs

Install 50 amp 3 ph breaker at rack for water well

Run 200 amp single phase feeder from service rack to old building not exceeding 240'

Run 200 amp 3 phase to new building not exceeding 55'